Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S31 0	29	characterization and eldering.in.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 21:31
S30 9	82	725/46.ccls. and private	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:56
S30 8	154	725/46.ccls. and (viewer user customer subscriber) near3 (profile preference) with (modifi\$7 manipulat\$3 chang\$3 alter\$3 adjust\$4 increas\$3 decreas\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:53
S30 7	380	725/46.ccls. and (viewer user customer subscriber) near3 (profile preference)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:51
S30 6	316	725/46.ccls. and (modif\$7 manipulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:50
S30 5	19	profile and S302	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:50
S30 2	85	protect\$3 with (record field cell entr\$3) and 707/9.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:44
S30 4	10	(user viewer subscriber client) adj2 (preference profile) and (profile same write\$3protect\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:39
S30	6	protect\$3 with (record field cell entr\$3) with (bit flag tag binary) and 707/9.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:36
S30 1	584	protect\$3 and 707/9.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:35
S30 0	17	S299 and S297	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:35
S29 9	2883	(protect\$3 public private) with (bit binary flag) with (record field cell entr\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:33
S29 8	0	S297 and S293	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:32
S29 7	1362	707/9.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:31
S29 6	5	protect\$3 with (attribute tag flag bit parameter variable) with (each every all) same database	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:31

						1
S29 3	235	protect\$3 with (attribute tag flag bit parameter variable) with (each every all)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:29
S29 5	8	protect\$3 with (attribute tag flag bit parameter) with (each every all) adj3 (variable record field)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:25
S29 4	1971	protect\$3 with (attribute tag flag bit parameter) with (variable record field)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:25
S29 2	55	protect\$3 adj3 (attribute tag flag bit parameter) with (each every all)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:24
S29 1	50	protect\$3 with (header) with (flag)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:21
S29 0	28	("4914586" "5247575" "5247661" "5251131" "5276869" "5333237" "5473732" "5493729" "5513126" "5541836" "5586218" "5608900" "5628011" "5692107" "5704017" "5717914" "5717923" "5720001" "5724567" "5727129" "5754938" "5794210" "5802518" "5855008" "5913212" "5931907" "5999975" "6021439").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 19:20
S28 9	1	"6115709".pn.	US-PGPUB; USPAT	OR	ON	2006/01/22 19:04
S28 8	94	user near3 (profile preference) and (protect\$4 near3 (field)) and (video multi\$1media television)	US-PGPUB; USPAT	OR	ON	2006/01/22 18:48
S28 7	151	user near3 (profile preference) and (protect\$4 near3 (field))	US-PGPUB; USPAT	OR	ON	2006/01/22 18:36
S28 6	21	S285 and "725".clas.	US-PGPUB	OR	ON	2006/01/22 18:35
S28 5	1051	(hid\$3 block\$3 prevent\$3 inhibit\$3 priva\$3 confiden\$4 secret\$2) near3 (field attribute data information info records preference value parameter) same user with (modif\$7)	US-PGPUB	OR	ON	2006/01/22 18:29
S28 4	12	S283 and S275	USPAT	OR	ON	2006/01/22 18:29
S28 3	907	(hid\$3 block\$3 prevent\$3 inhibit\$3 priva\$3 confiden\$4 secret\$2) near3 (field attribute data information info records preference value parameter) same user with (modif\$7)	USPAT	OR	ON	2006/01/22 18:29

S28 2	1760	(hid\$3 block\$3 prevent\$3 inhibit\$3 priva\$3 confiden\$4 secret\$2) with (field attribute data information info records preference value parameter) same user with (modif\$7)	USPAT	OR	ON	2006/01/22 18:27
S27 7	15523	(hid\$3 block\$3 prevent\$3 inhibit\$3 priva\$3 confiden\$4 secret\$2) with (field attribute data information info records preference value parameter) same user with (display\$3 view\$4 see\$3 access\$3 modif\$7 aware knowledge)	USPAT	OR	ON	2006/01/22 18:26
S28 1	26	S280 and "725".clas.	USPAT	OR	ON	2006/01/22 18:21
S28 0	13582	protect\$3 same (profile preference)	USPAT	OR	ON	2006/01/22 18:21
S27 9	121	S275 and S278	USPAT	OR	ON	2006/01/22 18:20
S27 8	2286	S273 and S277	USPAT	OR	ON	2006/01/22 18:15
S27 2	42461	(hid\$3 block\$3 prevent\$3 inhibit\$3 priva\$3 confiden\$4 secret\$2) with (field attribute data information info records preference value parameter) same user	USPAT	OR	ON	2006/01/22 18:13
S27 6	172	S274 and S275	USPAT	OR	ON	2006/01/22 18:10
S27 5	5125	"725".clas.	USPAT	OR	ON	2006/01/22 18:10
S27 4	4191	S272 and S273	USPAT	OR	ON	2006/01/22 18:10
S27 3	13101	user adj2 (preference profile behavior histor\$3)	USPAT	OR	ON	2006/01/22 18:10
S27 1	0	preference and "6115709".pn.	USPAT	OR	ON	2006/01/22 17:59
S27 0	44	(private hide hidden) and S268	USPAT	OR	ON	2006/01/22 17:48
S26 9	41	(private hidden) and S268	USPAT	OR	ON	2006/01/22 17:41
S26 8	91	("5696965").URPN.	USPAT	OR	ON	2006/01/22 17:40
S26 7	1	"5696965".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 17:38
S26 6	28	private same (bit flag) same (preferences)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 17:38

						,
S26 4	141	private same (bit flag) same (profile preferences)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 17:34
S26 5	86	(video television) and S264	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 17:32
S22 5	62	public same private same (bit flag) same (profile preferences)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 17:31
S26 3	9	S261 and S262	US-PGPUB; USPAT	OR	ON	2006/01/22 17:29
S26 2	537	725/46.ccls.	US-PGPUB; USPAT	OR	ON	2006/01/22 17:29
S26 1	17113	(private hidden invisible prohibit\$3) with (field bit flag binary tag)	US-PGPUB; USPAT	OR	ON	2006/01/22 17:28
S26 0	1	wo-9905998-\$.did.	USPAT; DERWENT	OR	ON	2006/01/22 17:27
S25 9	91	("5696965").URPN.	USPAT	OR	ON	2006/01/22 17:20
S25 8	16	("4532554" "4714996" "4850007" "4992940" "5014125" "5133075" "5144663" "5155591" "5162989" "5220501" "5237157" "5267171" "5283731" "5339239" "5408417" "5418713").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:37
S25 7	66	S255 and S256	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:35
S25 6	421541	(television video)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:35
S25 5	120	hidden with (attribute value preference parameter field) same (profile)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:34
S25 4	13	("20040023676" "5038211" "55595 48" "5630119" "5818438" "5892508 " "5917481" "5966663" "5983227" "6076094" "6172674" "6252586" "6 314577").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:33
S25 3	5	S252 and S237	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:29
S25 2	99	(tag bit flag binary digit variable) near3 (priva\$3 access public permission) same (profile preferences) and (video television) and (user near3 (profile preference))	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:23

S25 1	173	(tag bit flag binary digit variable) near3 (priva\$3 access public permission) same (profile preferences) and (video television)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:21
S25 0	79	(tag bit flag) with (priva\$3) same (profile preferences) and (video television)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:20
S24 9	29	(tag bit flag) with (priva\$3) same (profile preferences) and ("725". clas. "705".clas. "348".clas. "386". clas. "369".clas.)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:12
S24 8	128	(tag bit flag) with (priva\$3) same (profile preferences)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:12
S24 7	3	(tag bit flag) with (attribute) with (priva\$3) same (profile preferences)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:11
S24 6	89	S245 not S243	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:04
S24 5	127	S244 and S237	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:03
S24 4	3052	user with (hid\$4 privat\$3 invisible see) with (preference attribute parameter rating value categor\$3 characterization) and (preference profile)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:03
S24 2	950	user with (hid\$4 privat\$3) with (preference attribute parameter rating value categor\$3 characterization) and (preference profile)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 16:03
S24 3	38	S242 and S237	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:44
S24 1	60	S236 and S237	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:38
S24 0	52634	"369".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:31
S23 9	13771	"386".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:31
S23 8	37111	"705".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:31

S23 7	11048	"725".clas.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:30
S23 6	1107	(permit\$4 allow\$4) with (modif\$7 chang\$3 alter\$3) with (preference)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:30
S23 4	23	implicit same explicit same preference and profile and "725". clas.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:28
S23 5	19	(see access\$3 modify) and S234	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:26
S23 3	0	implicit same explicit same preference and profile and "725". ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:25
S23 2	1	"6115709".pn. and video	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:25
S23 1	85	S230 not S229	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:24
S23 0	97	hidden same (profile preference) same (attribute parameter) and (television video)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:01
S22 9	21	hidden same (profile preference) same (bit flag binary) and television	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 15:01
S22 8	167	hidden same (profile preference) same (bit flag binary)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 14:59
S22 7	2066	hidden same (profile preference)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 14:58
S22 6	62	public same private same (bit flag) same (profile preference)	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 14:58
S22 4	1	"5359446".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/22 14:47